

ICPSR 22140

**HIV Transmission Network
Metastudy Project: An Archive of
Data From Eight Network Studies,
1988--2001**

Martina Morris

*University of Washington. Center for AIDS
Research*

Richard Rothenberg

*Emory University. Rollins School of Public
Health*

Codebook for Pairs of Persons -- Egodyads

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/22140/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

Data Completeness Report

Notes: (1) Variables are individually listed only if they have greater than 5% missing data. These variables are listed under the appropriate percentage category in the order in which they appear in the data file. (2) The Data Completeness Report only captures information about system missing or other values that are declared missing. Codes that have a label implying that they are missing but that are not declared missing values are not reflected in this report. Data users should consult the codebook for more specific information about missing values. (3) Some variables that have 100% missing data may have been blanked by ICPSR to protect respondent confidentiality. Data users should consult the codebook for more specific information about blanked variables. (4) Data do not contain skip patterns or skip patterns are not reflected in the data as coded.

Table 1: Distribution of Variables by Percentage of Missing Values--Pairs of Persons -- Egodyads

Variable Name and Label (Total Cases = 85890)	Percent of Cases with Missing Values
63.9% (99 of 155 variables)	have 0% Missing Values
32.3% (50 of 155 variables)	have 0% - 1% Missing Values
0.0% (0 of 155 variables)	have 1% - 3% Missing Values
1.9% (3 of 155 variables)	have 3% - 5% Missing Values
1.9% (3 of 155 variables)	have 5% - 10% Missing Values
sg	Sample generation class for a link traci 6.5%
sg1	Sample generation class for a link traci 6.5%
sg2	Sample generation class for a link traci 6.5%
0.0% (0 of 155 variables)	have 10% - 20% Missing Values
0.0% (0 of 155 variables)	have 20% - 40% Missing Values
0.0% (0 of 155 variables)	have 40% - 99% Missing Values
0.0% (0 of 155 variables)	have 100% missing values

ICPSR 22140

HIV Transmission Network Metastudy Project: An Archive of Data From Eight Network Studies, 1988--2001

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

HIV Transmission Network Metastudy Project: An Archive of Data From Eight Network Studies, 1988--2001

Pairs of Persons -- Egodyads

rid	Identifier unique to the interviewed/tes
Location:	1-6 (width: 6; decimal: 0)
Variable Type:	numeric
Question:	Identifier unique to the interviewed/tested/ eligible person, within that particular study (values not necessarily unique across datasets)-primary key Based upon 85890 valid cases out of 85890 total cases. <ul style="list-style-type: none">• Mean: 33671.40• Minimum: 0.00• Maximum: 300235.00• Standard Deviation: 72565.89
id1	Unique identifier of namer -primary key
Location:	7-12 (width: 6; decimal: 0)
Variable Type:	numeric
Question:	Unique identifier of namer -primary key Based upon 85890 valid cases out of 85890 total cases. <ul style="list-style-type: none">• Mean: 33674.16• Minimum: 0.00• Maximum: 300235.00• Standard Deviation: 72564.76
id2	Unique identifier of namee -primary key
Location:	13-18 (width: 6; decimal: 0)
Variable Type:	numeric
Question:	Unique identifier of namee -primary key Based upon 85890 valid cases out of 85890 total cases. <ul style="list-style-type: none">• Mean: 37603.55• Minimum: 1.00• Maximum: 402122.00• Standard Deviation: 76319.25
dyadkey	Classifies the dyad as ego-alter, alter-
Location:	19-20 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	Classifies the dyad as ego-alter, alter-associate/susp ect, or alter-alter

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Direct Partner	85813	99.9 %
1	Suspect-Assoc	54	0.1 %
2	2: Undefined Code	12	0.0 %
3	3: Undefined Code	6	0.0 %
4	4: Undefined Code	3	0.0 %
5	5: Undefined Code	2	0.0 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.05

dyadtype **Recode of dyadkey**

Location: 21-21 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Recode of dyadkey

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Direct Partner	85813	99.9 %
2	Suspect-Assoc	77	0.1 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.06

tietype **Mode of connection -primary key**

Location: 22-23 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Mode of connection -primary key

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	444	0.5 %
-8	Not asked	481	0.6 %

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Other	493	0.6 %
1	Social	39064	45.5 %
2	Drug	20186	23.5 %
3	Sexual	13701	16.0 %
4	Needle	11521	13.4 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 1.85
- Median: 2.00
- Mode: 1.00
- Minimum: -9.00
- Maximum: 4.00
- Standard Deviation: 1.53

recent **Connection was recent (within the interv**

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Question: Connection was recent (within the interview period) or ever at any time in the past-primary key

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Not asked	49	0.1 %
0	At any past time	11476	13.4 %
1	Recently	74365	86.6 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 0.86
- Median: 1.00
- Mode: 1.00
- Minimum: -8.00
- Maximum: 1.00
- Standard Deviation: 0.40

intdate **Interview Date**

Location: 26-36 (width: 11; decimal: 0)

Variable Type: character

Based upon 85890 valid cases out of 85890 total cases.

begdate **Approximate date of earliest contact bet**

Location: 37-47 (width: 11; decimal: 0)

Variable Type: character

- Study 22140 -

sg **Sample generation class for a link traci**

Location: 93-95 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Sample generation class for a link tracing design for respondent

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	6874	8.0 %
-8	ID	2372	2.8 %
0	Seed	50444	58.7 %
1	1:Steps from seed	16305	19.0 %
2	2: Steps from seed	355	0.4 %
3	3:Steps from seed	373	0.4 %
4	4: Steps from seed	333	0.4 %
5	5: Steps from seed	230	0.3 %
6	6: Steps from seed	264	0.3 %
7	7: Steps from seed	175	0.2 %
8	8: Steps from seed	269	0.3 %
9	9: Steps from seed	245	0.3 %
10	10: Steps from seed	182	0.2 %
11	11: Undefined Code	1587	1.8 %
12	12: Undefined Code	177	0.2 %
13	13: Undefined Code	10	0.0 %
16	16: Undefined Code	65	0.1 %
22	22: Undefined Code	48	0.1 %
44	44: Undefined Code	12	0.0 %
. (M)	-	5570	6.5 %

Based upon 80320 valid cases out of 85890 total cases.

- Mean: -0.36
- Median: 0.00
- Mode: 0.00
- Minimum: -9.00
- Maximum: 44.00
- Standard Deviation: 3.68

sg1 **Sample generation class for a link traci**

Location: 96-98 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Sample generation class for a link tracing design for person with id1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	6874	8.0 %

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	ID	2372	2.8 %
-1	-1: Undefined Code	60	0.1 %
0	Seed	50387	58.7 %
1	1:Steps from seed	16305	19.0 %
2	2: Steps from seed	355	0.4 %
3	3:Steps from seed	373	0.4 %
4	4: Steps from seed	333	0.4 %
5	5: Steps from seed	230	0.3 %
6	6: Steps from seed	264	0.3 %
7	7: Steps from seed	175	0.2 %
8	8: Steps from seed	269	0.3 %
9	9: Steps from seed	245	0.3 %
10	10: Steps from seed	182	0.2 %
11	11: Undefined Code	1583	1.8 %
12	12: Undefined Code	177	0.2 %
13	13: Undefined Code	10	0.0 %
16	16: Undefined Code	64	0.1 %
22	22: Undefined Code	48	0.1 %
44	44: Undefined Code	12	0.0 %
. (M)	-	5572	6.5 %

Based upon 80318 valid cases out of 85890 total cases.

- Mean: -0.36
- Median: 0.00
- Mode: 0.00
- Minimum: -9.00
- Maximum: 44.00
- Standard Deviation: 3.68

sg2 Sample generation class for a link traci

Location: 99-101 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Sample generation class for a link tracing design for person with id2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	6874	8.0 %
-8	ID	7728	9.0 %
-1	-1: Undefined Code	13647	15.9 %
0	Seed	4110	4.8 %
1	1:Steps from seed	32730	38.1 %

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	2: Steps from seed	13698	15.9 %
3	3:Steps from seed	92	0.1 %
4	4: Steps from seed	141	0.2 %
5	5: Steps from seed	109	0.1 %
6	6: Steps from seed	87	0.1 %
7	7: Steps from seed	85	0.1 %
8	8: Steps from seed	67	0.1 %
9	9: Steps from seed	81	0.1 %
10	10: Steps from seed	80	0.1 %
11	11: Undefined Code	678	0.8 %
12	12: Undefined Code	68	0.1 %
13	13: Undefined Code	4	0.0 %
16	16: Undefined Code	14	0.0 %
22	22: Undefined Code	25	0.0 %
44	44: Undefined Code	2	0.0 %
. (M)	-	5570	6.5 %

Based upon 80320 valid cases out of 85890 total cases.

- Mean: -0.79
- Median: 1.00
- Mode: 1.00
- Minimum: -9.00
- Maximum: 44.00
- Standard Deviation: 3.94

ntype1 Node type for person with id1 (hierarchi

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric

Question: Node type for person with id1 (hierarchical) classifies nodes in mutually-exclusive fashion

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Respondent	85828	99.9 %
2	Eligible	7	0.0 %
3	Alter	53	0.1 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00

- Study 22140 -

- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.05

ntype2 Node type for person with id2 (hierarchi

Location: 103-103 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Node type for person with id2 (hierarchical) classifies nodes in mutually-exclusive fashion

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Respondent	10600	12.3 %
2	Eligible	1569	1.8 %
3	Alter	73721	85.8 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 2.73
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.66

frsttype For longitudinal design studies, indicat

Location: 104-104 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: For longitudinal design studies, indicates if first appearance of respondent was as a respondent or not

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Respondent	53401	62.2 %
3	Alter	32489	37.8 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 1.76
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.97

frsttyp1 For longitudinal design studies, indicat

Location: 105-105 (width: 1; decimal: 0)
 Variable Type: numeric

- Study 22140 -

Question:

For longitudinal design studies, indicates if first appearance of person with id1 was as a respondent or not

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Respondent	53358	62.1 %
3	Alter	32530	37.9 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: 1.76
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.97

frsttyp2

For longitudinal design studies, indicat

Location:

106-106 (width: 1; decimal: 0)

Variable Type:

numeric

Question:

For longitudinal design studies, indicates if first appearance of person with id2 was as a respondent or not

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Respondent	499	0.6 %
3	Alter	85391	99.4 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 2.99
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.15

idknown

Whether the identity of the respondent w

Location:

107-108 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Whether the identity of the respondent was sufficiently determined to confidently treat as a discrete individual

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Identity unknown	24	0.0 %
1	Identity known	85866	100.0 %

- Study 22140 -

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.02

idknown1 **Whether the identity of the person with**

Location: 109-110 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Whether the identity of the person with id1 was sufficiently determined to confidently treat as a discrete individual

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Identity unknown	34	0.0 %
1	Identity known	85854	100.0 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.02

idknown2 **Whether the identity of the person with**

Location: 111-112 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Whether the identity of the person with id2 was sufficiently determined to confidently treat as a discrete individual

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	11236	13.1 %
-8	-8:Undefined Code	39580	46.1 %
0	Identity unknown	8294	9.7 %
1	Identity known	26780	31.2 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -4.55
- Median: -8.00

- Study 22140 -

- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 4.44

local **Whether the respondent had resided in th**

Location: 113-114 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Whether the respondent had resided in the study jurisdiction

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	122	0.1 %
0	Exogenous	648	0.8 %
1	Local	85120	99.1 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 0.39

local1 **Whether the person with id1 had resided**

Location: 115-116 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Whether the person with id1 had resided in the study jurisdiction

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	130	0.2 %
0	Exogenous	647	0.8 %
1	Local	85111	99.1 %
.(M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 0.40

local2 **Whether the person with id2 had resided**

- Study 22140 -

Location: 117-118 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Whether the person with id2 had resided in the study jurisdiction

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	8694	10.1 %
-8	-8:Undefined Code	54654	63.6 %
0	Exogenous	1944	2.3 %
1	Local	20598	24.0 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -5.76
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 4.00

race Race of respondent (non-Black Hispanics)

Location: 119-120 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Race of respondent (non-Black Hispanics categorized as White)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	3300	3.8 %
-8	Not asked	2362	2.8 %
1	Amer Indian	959	1.1 %
2	Black	58172	67.7 %
3	Asian/PIsle	96	0.1 %
4	White	19808	23.1 %
5	Other	1193	1.4 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 1.80
- Median: 2.00
- Mode: 2.00
- Minimum: -9.00
- Maximum: 5.00
- Standard Deviation: 2.90

race1 Race of person with id1 (non-Black Hispa

Location: 121-122 (width: 2; decimal: 0)

- Study 22140 -

Variable Type: numeric

Question: Race of person with id1 (non-Black Hispanics categorized as White)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	3300	3.8 %
-8	Not asked	2362	2.8 %
1	Amer Indian	959	1.1 %
2	Black	58172	67.7 %
3	Asian/Plsle	151	0.2 %
4	White	19750	23.0 %
5	Other	1194	1.4 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: 1.79
- Median: 2.00
- Mode: 2.00
- Minimum: -9.00
- Maximum: 5.00
- Standard Deviation: 2.90

race2 Race of person with id2 (non-Black Hispa

Location: 123-124 (width: 2; decimal: 0)

Variable Type: numeric

Question: Race of person with id2 (non-Black Hispanics categorized as White)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	41977	48.9 %
-8	Not asked	172	0.2 %
1	Amer Indian	596	0.7 %
2	Black	22437	26.1 %
3	Asian/Plsle	11602	13.5 %
4	White	8912	10.4 %
5	Other	194	0.2 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -3.05
- Median: 2.00
- Mode: -9.00
- Minimum: -9.00
- Maximum: 5.00
- Standard Deviation: 5.86

- Study 22140 -

ethn Indicates Hispanic ethnicity of responde

Location: 125-126 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Indicates Hispanic ethnicity of respondent

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	3300	3.8 %
-8	Not asked	2924	3.4 %
0	Non-Hisp	74427	86.7 %
1	Hisp	5239	6.1 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -0.56
- Median: 0.00
- Mode: 0.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 2.25

ethn1 Indicates Hispanic ethnicity of person w

Location: 127-128 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Indicates Hispanic ethnicity of person with id1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	3300	3.8 %
-8	Not asked	2924	3.4 %
0	Non-Hisp	74443	86.7 %
1	Hisp	5221	6.1 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -0.56
- Median: 0.00
- Mode: 0.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 2.25

ethn2 Indicates Hispanic ethnicity of person w

Location: 129-130 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 22140 -

Question:

Indicates Hispanic ethnicity of person with id2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	266	0.3 %
-8	Not asked	42504	49.5 %
0	Non-Hisp	36838	42.9 %
1	Hisp	6282	7.3 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -3.91
- Median: 0.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 4.08

sex **Sex of respondent**

Location: 131-132 (width: 2; decimal: 0)

Variable Type: numeric

Question: Sex of respondent

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	4342	5.1 %
0	Male	46023	53.6 %
1	Female	35525	41.4 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -0.04
- Median: 0.00
- Mode: 0.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 2.12

sex1 **Sex of person with id1**

Location: 133-134 (width: 2; decimal: 0)

Variable Type: numeric

Question: Sex of person with id1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	4342	5.1 %
0	Male	46017	53.6 %

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Female	35529	41.4 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -0.04
- Median: 0.00
- Mode: 0.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 2.12

sex2 **Sex of person with id2**

Location: 135-136 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Sex of person with id2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	527	0.6 %
0	Male	46019	53.6 %
1	Female	39344	45.8 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 0.89

orient **Self-reported sexual orientation of resp**

Location: 137-138 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Self-reported sexual orientation of respondent

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	42104	49.0 %
-8	Not asked	19443	22.6 %
0	Heterosexual	20126	23.4 %
1	Homosexual	2203	2.6 %
2	Bisexual	1989	2.3 %

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	3:Undefined Code	25	0.0 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.15
- Median: -8.00
- Mode: -9.00
- Minimum: -9.00
- Maximum: 3.00
- Standard Deviation: 4.06

orient1 Self-reported sexual orientation of pers

Location: 139-140 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Self-reported sexual orientation of person with id1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	42104	49.0 %
-8	Not asked	19441	22.6 %
0	Heterosexual	20126	23.4 %
1	Homosexual	2203	2.6 %
2	Bisexual	1989	2.3 %
3	3:Undefined Code	25	0.0 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -6.15
- Median: -8.00
- Mode: -9.00
- Minimum: -9.00
- Maximum: 3.00
- Standard Deviation: 4.06

orient2 Self-reported sexual orientation of pers

Location: 141-142 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Self-reported sexual orientation of person with id2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	8629	10.0 %
-8	Not asked	73082	85.1 %

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Heterosexual	3726	4.3 %
1	Homosexual	166	0.2 %
2	Bisexual	282	0.3 %
3	3:Undefined Code	5	0.0 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -7.70
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 3.00
- Standard Deviation: 1.81

behav Behavioral sexual orientation of respond

Location: 143-144 (width: 2; decimal: 0)

Variable Type: numeric

Question: Behavioral sexual orientation of respondent, as measured from observed sexual pairings

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	7374	8.6 %
0	Heterosexual	68869	80.2 %
2	Bisexual	9647	11.2 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -0.55
- Median: 0.00
- Mode: 0.00
- Minimum: -9.00
- Maximum: 2.00
- Standard Deviation: 2.67

behav1 Behavioral sexual orientation of person

Location: 145-146 (width: 2; decimal: 0)

Variable Type: numeric

Question: Behavioral sexual orientation of person with id1, as measured from observed sexual pairings

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	7376	8.6 %
0	Heterosexual	68865	80.2 %
2	Bisexual	9649	11.2 %

- Study 22140 -

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -0.55
- Median: 0.00
- Mode: 0.00
- Minimum: -9.00
- Maximum: 2.00
- Standard Deviation: 2.67

behav2 Behavioral sexual orientation of person

Location: 147-148 (width: 2; decimal: 0)

Variable Type: numeric

Question: Behavioral sexual orientation of person with id2, as measured from observed sexual pairings

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	48542	56.5 %
0	Heterosexual	34361	40.0 %
2	Bisexual	2987	3.5 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -5.02
- Median: -9.00
- Mode: -9.00
- Minimum: -9.00
- Maximum: 2.00
- Standard Deviation: 4.56

occpres Occupational prestige for respondent

Location: 149-154 (width: 6; decimal: 2)

Variable Type: numeric

Question: Occupational prestige for respondent

<i>Value</i>	<i>Label</i>
-9	OOD
-8	Not asked/NA
-7	Refusal
-6	Don't know
-5	Skip

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -0.05
- Median: -8.00
- Mode: -8.00

- Study 22140 -

- Minimum: -9.00
- Maximum: 73.09
- Standard Deviation: 17.57

occpres1 Occupational prestige for person with id

Location: 155-160 (width: 6; decimal: 2)
Variable Type: numeric
Question: Occupational prestige for person with id1

<i>Value</i>	<i>Label</i>
-9	OOD
-8	Not asked/NA
-7	Refusal
-6	Don't know
-5	Skip

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -0.06
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 73.09
- Standard Deviation: 17.55

occpres2 Occupational prestige for person with id

Location: 161-166 (width: 6; decimal: 2)
Variable Type: numeric
Question: Occupational prestige for person with id2

<i>Value</i>	<i>Label</i>
-9	OOD
-8	Not asked/NA
-7	Refusal
-6	Don't know
-5	Skip

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -2.31
- Minimum: -9.00
- Maximum: 78.73
- Standard Deviation: 15.46

occens Occupational census code for respondent,

- Study 22140 -

Location: 167-170 (width: 4; decimal: 0)
Variable Type: numeric
Question: Occupational census code for respondent, 1990 census

<i>Value</i>	<i>Label</i>
-9	OOD
-8	Not asked/NA
-7	Refusal
-6	Don't know
-5	Skip

Based upon 85877 valid cases out of 85890 total cases.

- Mean: 82.78
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 889.00
- Standard Deviation: 212.10

occens1 Occupational census code for person with

Location: 171-174 (width: 4; decimal: 0)
Variable Type: numeric
Question: Occupational census code for person with id1, 1990 census

<i>Value</i>	<i>Label</i>
-9	OOD
-8	Not asked/NA
-7	Refusal
-6	Don't know
-5	Skip

Based upon 85878 valid cases out of 85890 total cases.

- Mean: 82.72
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 889.00
- Standard Deviation: 212.15

occens2 Occupational census code for person with

Location: 175-178 (width: 4; decimal: 0)
Variable Type: numeric
Question: Occupational census code for person with id2, 1990 census

- Study 22140 -

<i>Value</i>	<i>Label</i>
-9	OOD
-8	Not asked/NA
-7	Refusal
-6	Don't know
-5	Skip

Based upon 85821 valid cases out of 85890 total cases.

- Mean: 52.39
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 889.00
- Standard Deviation: 177.77

age **Age of respondent at interview**

Location: 179-181 (width: 3; decimal: 0)

Variable Type: numeric

Question: Age of respondent at interview

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	28	0.0 %
15	-	64	0.1 %
16	-	266	0.3 %
17	-	157	0.2 %
18	-	505	0.6 %
19	-	749	0.9 %
20	-	837	1.0 %
21	-	950	1.1 %
22	-	1215	1.4 %
23	-	1101	1.3 %
24	-	1203	1.4 %
25	-	1230	1.4 %
26	-	1518	1.8 %
27	-	1719	2.0 %
28	-	2000	2.3 %
29	-	2050	2.4 %
30	-	2455	2.9 %
31	-	2795	3.3 %
32	-	2965	3.5 %
33	-	2997	3.5 %
34	-	2967	3.5 %

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
35	-	3379	3.9 %
36	-	3856	4.5 %
37	-	3798	4.4 %
38	-	3587	4.2 %
39	-	3665	4.3 %
40	-	3687	4.3 %
41	-	3575	4.2 %
42	-	3568	4.2 %
43	-	2885	3.4 %
44	-	3027	3.5 %
45	-	2772	3.2 %
46	-	2568	3.0 %
47	-	1968	2.3 %
48	-	1944	2.3 %
49	-	1623	1.9 %
50	-	1032	1.2 %
51	-	1153	1.3 %
52	-	724	0.8 %
53	-	651	0.8 %
54	-	452	0.5 %
55	-	381	0.4 %
56	-	187	0.2 %
57	-	236	0.3 %
58	-	150	0.2 %
59	-	209	0.2 %
60	-	91	0.1 %
61	-	71	0.1 %
62	-	85	0.1 %
63	-	150	0.2 %
64	-	85	0.1 %
65	-	44	0.1 %
66	-	35	0.0 %
67	-	20	0.0 %
68	-	22	0.0 %
70	-	16	0.0 %
71	-	7	0.0 %
74	-	9	0.0 %
76	-	8	0.0 %
77	-	36	0.0 %
91	-	730	0.8 %

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
92	-	2075	2.4 %
93	-	18	0.0 %
98	-	1519	1.8 %
. (M)	-	21	0.0 %

Based upon 85869 valid cases out of 85890 total cases.

- Mean: 40.13
- Median: 38.00
- Mode: 36.00
- Minimum: -9.00
- Maximum: 98.00
- Standard Deviation: 15.14

age1 Age of person with id1 at interview

Location: 182-184 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Age of person with id1 at interview

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	30	0.0 %
15	-	65	0.1 %
16	-	271	0.3 %
17	-	162	0.2 %
18	-	494	0.6 %
19	-	748	0.9 %
20	-	842	1.0 %
21	-	950	1.1 %
22	-	1215	1.4 %
23	-	1103	1.3 %
24	-	1205	1.4 %
25	-	1229	1.4 %
26	-	1519	1.8 %
27	-	1722	2.0 %
28	-	2002	2.3 %
29	-	2049	2.4 %
30	-	2452	2.9 %
31	-	2802	3.3 %
32	-	2969	3.5 %
33	-	2972	3.5 %
34	-	2954	3.4 %

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
35	-	3387	3.9 %
36	-	3853	4.5 %
37	-	3796	4.4 %
38	-	3590	4.2 %
39	-	3665	4.3 %
40	-	3691	4.3 %
41	-	3577	4.2 %
42	-	3567	4.2 %
43	-	2887	3.4 %
44	-	3027	3.5 %
45	-	2772	3.2 %
46	-	2568	3.0 %
47	-	1968	2.3 %
48	-	1944	2.3 %
49	-	1623	1.9 %
50	-	1032	1.2 %
51	-	1153	1.3 %
52	-	727	0.8 %
53	-	651	0.8 %
54	-	452	0.5 %
55	-	381	0.4 %
56	-	187	0.2 %
57	-	236	0.3 %
58	-	150	0.2 %
59	-	209	0.2 %
60	-	91	0.1 %
61	-	73	0.1 %
62	-	85	0.1 %
63	-	150	0.2 %
64	-	85	0.1 %
65	-	44	0.1 %
66	-	35	0.0 %
67	-	20	0.0 %
68	-	22	0.0 %
70	-	16	0.0 %
71	-	7	0.0 %
74	-	9	0.0 %
76	-	6	0.0 %
77	-	36	0.0 %
91	-	730	0.8 %

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
92	-	2075	2.4 %
93	-	18	0.0 %
98	-	1519	1.8 %
. (M)	-	21	0.0 %

Based upon 85869 valid cases out of 85890 total cases.

- Mean: 40.13
- Median: 38.00
- Mode: 36.00
- Minimum: -9.00
- Maximum: 98.00
- Standard Deviation: 15.14

age2 Age of person with id2 at interview

Location: 185-187 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Age of person with id2 at interview

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1517	1.8 %
-1	-	3	0.0 %
0	-	39	0.0 %
1	-	123	0.1 %
2	-	146	0.2 %
3	-	186	0.2 %
4	-	142	0.2 %
5	-	197	0.2 %
6	-	230	0.3 %
7	-	232	0.3 %
8	-	225	0.3 %
9	-	215	0.3 %
10	-	222	0.3 %
11	-	233	0.3 %
12	-	229	0.3 %
13	-	259	0.3 %
14	-	263	0.3 %
15	-	338	0.4 %
16	-	457	0.5 %
17	-	631	0.7 %
18	-	882	1.0 %

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
19	-	1210	1.4 %
20	-	1033	1.2 %
21	-	1101	1.3 %
22	-	1248	1.5 %
23	-	1227	1.4 %
24	-	1325	1.5 %
25	-	1721	2.0 %
26	-	1750	2.0 %
27	-	1967	2.3 %
28	-	2299	2.7 %
29	-	2175	2.5 %
30	-	3074	3.6 %
31	-	2064	2.4 %
32	-	2799	3.3 %
33	-	2454	2.9 %
34	-	2504	2.9 %
35	-	3608	4.2 %
36	-	2678	3.1 %
37	-	2651	3.1 %
38	-	3253	3.8 %
39	-	2456	2.9 %
40	-	4103	4.8 %
41	-	2309	2.7 %
42	-	2695	3.1 %
43	-	2380	2.8 %
44	-	1991	2.3 %
45	-	2520	2.9 %
46	-	1655	1.9 %
47	-	1621	1.9 %
48	-	1573	1.8 %
49	-	1262	1.5 %
50	-	1625	1.9 %
51	-	1017	1.2 %
52	-	1017	1.2 %
53	-	811	0.9 %
54	-	714	0.8 %
55	-	763	0.9 %
56	-	543	0.6 %
57	-	429	0.5 %
58	-	426	0.5 %

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
59	-	357	0.4 %
60	-	488	0.6 %
61	-	309	0.4 %
62	-	326	0.4 %
63	-	309	0.4 %
64	-	265	0.3 %
65	-	415	0.5 %
66	-	227	0.3 %
67	-	246	0.3 %
68	-	218	0.3 %
69	-	195	0.2 %
70	-	183	0.2 %
71	-	152	0.2 %
72	-	178	0.2 %
73	-	154	0.2 %
74	-	124	0.1 %
75	-	139	0.2 %
76	-	120	0.1 %
77	-	162	0.2 %
78	-	78	0.1 %
79	-	57	0.1 %
80	-	86	0.1 %
81	-	50	0.1 %
82	-	50	0.1 %
83	-	42	0.0 %
84	-	21	0.0 %
85	-	22	0.0 %
86	-	24	0.0 %
87	-	11	0.0 %
88	-	11	0.0 %
89	-	13	0.0 %
90	-	10	0.0 %
92	-	7	0.0 %
93	-	10	0.0 %
. (M)	-	11	0.0 %

Based upon 85879 valid cases out of 85890 total cases.

- Mean: 36.33
- Median: 36.00
- Mode: 40.00

- Study 22140 -

- Minimum: -9.00
- Maximum: 93.00
- Standard Deviation: 14.37

pro Respondent is a prostitute

Location: 188-189 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Respondent is a prostitute

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Not asked/NA	49990	58.2 %
0	No	28726	33.4 %
1	Yes	7174	8.4 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -4.57
- Median: -8.00
- Mode: -8.00
- Minimum: -8.00
- Maximum: 1.00
- Standard Deviation: 4.05

pro1 Person with id1 is a prostitute

Location: 190-191 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Person with id1 is a prostitute

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	7	0.0 %
-8	Not asked/NA	49990	58.2 %
0	No	28707	33.4 %
1	Yes	7184	8.4 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -4.57
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 4.05

pro2 Person with id2 is a prostitute

- Study 22140 -

Location: 192-193 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Person with id2 is a prostitute

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1019	1.2 %
-8	Not asked/NA	65234	76.0 %
0	No	17210	20.0 %
1	Yes	2427	2.8 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.15
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.42

pimp Respondent is a pimp

Location: 194-195 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Respondent is a pimp

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Not asked/NA	69382	80.8 %
0	No	14966	17.4 %
1	Yes	1542	1.8 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.44
- Median: -8.00
- Mode: -8.00
- Minimum: -8.00
- Maximum: 1.00
- Standard Deviation: 3.19

pimp1 Person with id1 is a pimp

Location: 196-197 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Person with id1 is a pimp

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	7	0.0 %
-8	Not asked/NA	69382	80.8 %
0	No	14957	17.4 %
1	Yes	1542	1.8 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -6.45
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.19

pimp2 **Person with id2 is a pimp**

Location: 198-199 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Person with id2 is a pimp

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1007	1.2 %
-8	Not asked/NA	69382	80.8 %
0	No	14969	17.4 %
1	Yes	532	0.6 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.56
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.10

john **Respondent is a customer of a prostitute**

Location: 200-201 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Respondent is a customer of a prostitute

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Not asked/NA	69382	80.8 %

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	14015	16.3 %
1	Yes	2493	2.9 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.43
- Median: -8.00
- Mode: -8.00
- Minimum: -8.00
- Maximum: 1.00
- Standard Deviation: 3.22

john1 **Person with id1 is a customer of a prost**

Location: 202-203 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Person with id1 is a customer of a prostitute

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Not asked/NA	69382	80.8 %
0	No	14039	16.3 %
1	Yes	2467	2.9 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -6.43
- Median: -8.00
- Mode: -8.00
- Minimum: -8.00
- Maximum: 1.00
- Standard Deviation: 3.21

john2 **Person with id2 is a customer of a prost**

Location: 204-205 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Person with id2 is a customer of a prostitute

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	34	0.0 %
-8	Not asked/NA	69382	80.8 %
0	No	14950	17.4 %
1	Yes	1524	1.8 %

- Study 22140 -

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.45
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.19

dealer Respondent is a drug dealer

Location: 206-207 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Respondent is a drug dealer

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	6	0.0 %
-8	Not asked/NA	49990	58.2 %
0	No	31565	36.8 %
1	Yes	4329	5.0 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -4.61
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 4.01

dealer1 Person with id1 is a drug dealer

Location: 208-209 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Person with id1 is a drug dealer

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	13	0.0 %
-8	Not asked/NA	49990	58.2 %
0	No	31566	36.8 %
1	Yes	4319	5.0 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -4.61

- Study 22140 -

- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 4.01

dealer2 **Person with id2 is a drug dealer**

Location: 210-211 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Person with id2 is a drug dealer

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1011	1.2 %
-8	Not asked/NA	65234	76.0 %
0	No	17010	19.8 %
1	Yes	2635	3.1 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.15
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.43

drugman **Respondent is a drug manufacturer**

Location: 212-213 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Respondent is a drug manufacturer

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	6	0.0 %
-8	Not asked/NA	69382	80.8 %
0	No	16379	19.1 %
1	Yes	123	0.1 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.46
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.16

- Study 22140 -

drugman1 Person with id1 is a drug manufacturer

Location: 214-215 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Person with id1 is a drug manufacturer

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	13	0.0 %
-8	Not asked/NA	69382	80.8 %
0	No	16394	19.1 %
1	Yes	99	0.1 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -6.46
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.15

drugman2 Person with id2 is a drug manufacturer

Location: 216-217 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Person with id2 is a drug manufacturer

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1007	1.2 %
-8	Not asked/NA	69382	80.8 %
0	No	15319	17.8 %
1	Yes	182	0.2 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.57
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.09

thief Respondent is a thief, burgler, or hustl

Location: 218-219 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 22140 -

Question:

Respondent is a thief, burgler, or hustler

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	6	0.0 %
-8	Not asked/NA	65693	76.5 %
0	No	19060	22.2 %
1	Yes	1131	1.3 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.11
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.42

thief1

Person with id1 is a thief, burgler, or

Location:

220-221 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Person with id1 is a thief, burgler, or hustler

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	13	0.0 %
-8	Not asked/NA	65693	76.5 %
0	No	19051	22.2 %
1	Yes	1131	1.3 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -6.11
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.42

thief2

Person with id2 is a thief, burgler, or

Location:

222-223 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Person with id2 is a thief, burgler, or hustler

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1007	1.2 %
-8	Not asked/NA	68488	79.7 %
0	No	15638	18.2 %
1	Yes	757	0.9 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.48
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.17

retired **Respondent is retired from legitimate oc**

Location: 224-225 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Respondent is retired from legitimate occupation

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	6	0.0 %
-8	Not asked/NA	53940	62.8 %
0	No	31605	36.8 %
1	Yes	339	0.4 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -5.02
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.87

retired1 **Person with id1 is retired from legitima**

Location: 226-227 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Person with id1 is retired from legitimate occupation

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	13	0.0 %
-8	Not asked/NA	53940	62.8 %

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No	31598	36.8 %
1	Yes	337	0.4 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -5.02
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.87

retired2 **Person with id2 is retired from legitima**

Location: 228-229 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Person with id2 is retired from legitimate occupation

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1007	1.2 %
-8	Not asked/NA	66238	77.1 %
0	No	18258	21.3 %
1	Yes	387	0.5 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.27
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.32

hwife **Respondent is a housewife**

Location: 230-231 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Respondent is a housewife

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	Not asked/NA	53940	62.8 %
0	No	30927	36.0 %
1	Yes	1023	1.2 %

- Study 22140 -

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -5.01
- Median: -8.00
- Mode: -8.00
- Minimum: -8.00
- Maximum: 1.00
- Standard Deviation: 3.88

hwife1 **Person with id1 is a housewife**

Location: 232-233 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Person with id1 is a housewife

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	7	0.0 %
-8	Not asked/NA	53940	62.8 %
0	No	30930	36.0 %
1	Yes	1011	1.2 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -5.01
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.88

hwife2 **Person with id2 is a housewife**

Location: 234-235 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Person with id2 is a housewife

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1000	1.2 %
-8	Not asked/NA	66238	77.1 %
0	No	17618	20.5 %
1	Yes	1034	1.2 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.26

- Study 22140 -

- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.33

disable Respondent collects disability

Location: 236-238 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Respondent collects disability

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	6	0.0 %
-8	Not asked/NA	49990	58.2 %
0	No	28178	32.8 %
1	Yes	7599	8.8 %
10	10:Undefined Code	117	0.1 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -4.55
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 10.00
- Standard Deviation: 4.09

disable1 Person with id1 collects disability

Location: 239-241 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Person with id1 collects disability

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	13	0.0 %
-8	Not asked/NA	49990	58.2 %
0	No	28170	32.8 %
1	Yes	7598	8.8 %
10	10:Undefined Code	117	0.1 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -4.56
- Median: -8.00

- Study 22140 -

- Mode: -8.00
- Minimum: -9.00
- Maximum: 10.00
- Standard Deviation: 4.09

disable2 **Person with id2 collects disability**

Location: 242-244 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Person with id2 collects disability

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1007	1.2 %
-8	Not asked/NA	65234	76.0 %
0	No	17941	20.9 %
1	Yes	1695	2.0 %
10	10:Undefined Code	13	0.0 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.16
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 10.00
- Standard Deviation: 3.41

unemp **Respondent is unemployed (without legiti**

Location: 245-246 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Respondent is unemployed (without legitimate work)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	158	0.2 %
-8	Not asked/NA	8494	9.9 %
0	No	17070	19.9 %
1	Yes	60168	70.1 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -0.11
- Median: 1.00
- Mode: 1.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 2.68

- Study 22140 -

unemp1 **Person with id1 is unemployed (without I**

Location: 247-248 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Person with id1 is unemployed (without legitimate work)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	165	0.2 %
-8	Not asked/NA	8494	9.9 %
0	No	17068	19.9 %
1	Yes	60161	70.0 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -0.11
- Median: 1.00
- Mode: 1.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 2.68

unemp2 **Person with id2 is unemployed (without I**

Location: 249-250 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Person with id2 is unemployed (without legitimate work)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1056	1.2 %
-8	Not asked/NA	63318	73.7 %
0	No	12628	14.7 %
1	Yes	8888	10.3 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -5.90
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.66

streets **Respondent is homeless, lives on the str**

Location: 251-252 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 22140 -

Question:

Respondent is homeless, lives on the streets

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	70	0.1 %
-8	Not asked/NA	12502	14.6 %
0	No	53771	62.6 %
1	Yes	19547	22.8 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -0.94
- Median: 0.00
- Mode: 0.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 2.95

streets1

Person with id1 is homeless, lives on th

Location:

253-254 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Person with id1 is homeless, lives on the streets

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	77	0.1 %
-8	Not asked/NA	12502	14.6 %
0	No	53763	62.6 %
1	Yes	19546	22.8 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -0.94
- Median: 0.00
- Mode: 0.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 2.95

streets2

Person with id2 is homeless, lives on th

Location:

255-256 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Person with id2 is homeless, lives on the streets

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1007	1.2 %
-8	Not asked/NA	64343	74.9 %
0	No	18817	21.9 %
1	Yes	1723	2.0 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.08
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.46

year	Year of interview
-------------	--------------------------

Location: 257-260 (width: 4; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1988	906	1.1 %
1989	2772	3.2 %
1990	4584	5.3 %
1991	7782	9.1 %
1992	5826	6.8 %
1993	208	0.2 %
1996	3206	3.7 %
1997	12290	14.3 %
1998	25079	29.2 %
1999	10583	12.3 %
2000	2352	2.7 %
2001	6129	7.1 %
2002	2926	3.4 %
2003	1247	1.5 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 1996.51
- Median: 1998.00
- Mode: 1998.00
- Minimum: 1988.00
- Maximum: 2003.00
- Standard Deviation: 3.72

- Study 22140 -

Variable Type: numeric
 Question: Time period in months used for eliciting contacts recent behaviors

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	ID	2924	3.4 %
1	1-4 weeks	9520	11.1 %
6	# of months	73446	85.5 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 4.97
- Median: 6.00
- Mode: 6.00
- Minimum: -8.00
- Maximum: 6.00
- Standard Deviation: 2.90

marit **Marital status at interview for responde**

Location: 265-266 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Marital status at interview for respondent

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	ODD	12613	14.7 %
-8	ID	29282	34.1 %
0	0:Undefined Code	13629	15.9 %
1	Single	7780	9.1 %
2	Married	5163	6.0 %
3	Widowed	2948	3.4 %
4	Divorced	7574	8.8 %
5	Separated	6901	8.0 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -2.98
- Median: 0.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 5.00
- Standard Deviation: 5.37

marit1 **Marital status at interview for person w**

Location: 267-268 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 22140 -

Question:

Marital status at interview for person with id1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	ODD	12613	14.7 %
-8	ID	29282	34.1 %
0	0:Undefined Code	13629	15.9 %
1	Single	7780	9.1 %
2	Married	5163	6.0 %
3	Widowed	2948	3.4 %
4	Divorced	7574	8.8 %
5	Separated	6901	8.0 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -2.98
- Median: 0.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 5.00
- Standard Deviation: 5.37

marit2

Marital status at interview for person w

Location:

269-270 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Marital status at interview for person with id2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	ODD	595	0.7 %
-8	ID	81769	95.2 %
0	0:Undefined Code	391	0.5 %
1	Single	1121	1.3 %
2	Married	630	0.7 %
3	Widowed	227	0.3 %
4	Divorced	614	0.7 %
5	Separated	543	0.6 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -7.58
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 5.00
- Standard Deviation: 2.08

- Study 22140 -

educ Educational attainment of respondent at

Location: 271-273 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Educational attainment of respondent at interview

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	6323	7.4 %
-8	ID	5917	6.9 %
-6	Don't know	44	0.1 %
0	None	1	0.0 %
2	2:Minimal	150	0.2 %
3	3:Minimal	2402	2.8 %
4	4:Minimal	1089	1.3 %
5	5:Minimal	959	1.1 %
6	6:Elementary	406	0.5 %
7	7:Elementary	693	0.8 %
8	8:Elementary	939	1.1 %
9	9:Junior High	1408	1.6 %
10	10:Junior High	3202	3.7 %
11	11:Junior High	3433	4.0 %
12	12:High/GED	15602	18.2 %
13	13:Freshman Col	1353	1.6 %
14	14:Trade school	2631	3.1 %
15	15:Undergrad	776	0.9 %
16	16:College grad	37966	44.2 %
17	17:Post grad	166	0.2 %
18	18:Post grad	347	0.4 %
19	19:Post grad	41	0.0 %
21	21:Undefined Code	11	0.0 %
23	23:Undefined Code	28	0.0 %
. (M)	-	3	0.0 %

Based upon 85887 valid cases out of 85890 total cases.

- Mean: 10.26
- Median: 13.00
- Mode: 16.00
- Minimum: -9.00
- Maximum: 23.00
- Standard Deviation: 8.33

educ1 Educational attainment of person with id

Location: 274-276 (width: 3; decimal: 0)

- Study 22140 -

Variable Type:

numeric

Question:

Educational attainment of person with id1 at interview

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	6285	7.3 %
-8	ID	5981	7.0 %
-6	Don't know	44	0.1 %
0	None	1	0.0 %
2	2:Minimal	150	0.2 %
3	3:Minimal	2402	2.8 %
4	4:Minimal	1089	1.3 %
5	5:Minimal	959	1.1 %
6	6:Elementary	406	0.5 %
7	7:Elementary	693	0.8 %
8	8:Elementary	939	1.1 %
9	9:Junior High	1408	1.6 %
10	10:Junior High	3192	3.7 %
11	11:Junior High	3433	4.0 %
12	12:High/GED	15579	18.1 %
13	13:Freshman Col	1360	1.6 %
14	14:Trade school	2631	3.1 %
15	15:Undergrad	776	0.9 %
16	16:College grad	37966	44.2 %
17	17:Post grad	166	0.2 %
18	18:Post grad	347	0.4 %
19	19:Post grad	41	0.0 %
21	21:Undefined Code	11	0.0 %
23	23:Undefined Code	28	0.0 %
. (M)	-	3	0.0 %

Based upon 85887 valid cases out of 85890 total cases.

- Mean: 10.25
- Median: 13.00
- Mode: 16.00
- Minimum: -9.00
- Maximum: 23.00
- Standard Deviation: 8.34

educ2

Educational attainment of person with id

Location:

277-279 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Educational attainment of person with id2 at interview

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	613	0.7 %
-8	ID	76514	89.1 %
-6	Don't know	10	0.0 %
2	2:Minimal	39	0.0 %
3	3:Minimal	616	0.7 %
4	4:Minimal	253	0.3 %
5	5:Minimal	191	0.2 %
6	6:Elementary	53	0.1 %
7	7:Elementary	166	0.2 %
8	8:Elementary	278	0.3 %
9	9:Junior High	364	0.4 %
10	10:Junior High	657	0.8 %
11	11:Junior High	833	1.0 %
12	12:High/GED	2609	3.0 %
13	13:Freshman Col	315	0.4 %
14	14:Trade school	438	0.5 %
15	15:Undergrad	166	0.2 %
16	16:College grad	1730	2.0 %
17	17:Post grad	20	0.0 %
18	18:Post grad	14	0.0 %
19	19:Post grad	9	0.0 %
21	21:Undefined Code	2	0.0 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.04
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 21.00
- Standard Deviation: 5.97

gono	Gonorrhea result for respondent
-------------	--

Location: 280-281 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Gonorrhea result for respondent

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1521	1.8 %
-8	No test	82966	96.6 %
0	Neg	1287	1.5 %

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Pos	116	0.1 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -7.89
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 1.04

gono1 **Gonorrhea result for person with id1**

Location: 282-283 (width: 2; decimal: 0)

Variable Type: numeric

Question: Gonorrhea result for person with id1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1521	1.8 %
-8	No test	82902	96.5 %
0	Neg	1287	1.5 %
1	Pos	116	0.1 %
. (M)	-	64	0.1 %

Based upon 85826 valid cases out of 85890 total cases.

- Mean: -7.89
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 1.04

gono2 **Gonorrhea result for person with id2**

Location: 284-285 (width: 2; decimal: 0)

Variable Type: numeric

Question: Gonorrhea result for person with id2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	No test	82966	96.6 %
0	Neg	2874	3.3 %
1	Pos	50	0.1 %

Based upon 85890 valid cases out of 85890 total cases.

- Study 22140 -

- Mean: -7.73
- Median: -8.00
- Mode: -8.00
- Minimum: -8.00
- Maximum: 1.00
- Standard Deviation: 1.45

gonoev Overall gonorrhea test of respondent

Location: 286-287 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Overall gonorrhea test of respondent

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1521	1.8 %
-8	No test	82966	96.6 %
0	Neg	1287	1.5 %
1	Pos	116	0.1 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -7.89
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 1.04

gonoev1 Overall gonorrhea test of person with id

Location: 288-289 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Overall gonorrhea test of person with id1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1521	1.8 %
-8	No test	82964	96.6 %
0	Neg	1287	1.5 %
1	Pos	116	0.1 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -7.89
- Median: -8.00
- Mode: -8.00

- Study 22140 -

- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 1.04

gonoev2 Overall gonorrhea test of person with id

Location: 290-291 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Overall gonorrhea test of person with id2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	No test	78766	91.7 %
0	Neg	2874	3.3 %
1	Pos	50	0.1 %
. (M)	-	4200	4.9 %

Based upon 81690 valid cases out of 85890 total cases.

- Mean: -7.71
- Median: -8.00
- Mode: -8.00
- Minimum: -8.00
- Maximum: 1.00
- Standard Deviation: 1.49

chlam Chlamydia result of respondent

Location: 292-293 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Chlamydia result of respondent

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1521	1.8 %
-8	No test	82966	96.6 %
0	Neg	9	0.0 %
1	Pos	1394	1.6 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -7.87
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 1.15

chlam1 Chlamydia result of person with id1

- Study 22140 -

Location: 294-295 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Chlamydia result of person with id1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1521	1.8 %
-8	No test	82902	96.5 %
0	Neg	9	0.0 %
1	Pos	1394	1.6 %
. (M)	-	64	0.1 %

Based upon 85826 valid cases out of 85890 total cases.

- Mean: -7.87
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 1.15

chlam2 Chlamydia result of person with id2

Location: 296-297 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Chlamydia result of person with id2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	No test	82966	96.6 %
0	Neg	2573	3.0 %
1	Pos	351	0.4 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -7.72
- Median: -8.00
- Mode: -8.00
- Minimum: -8.00
- Maximum: 1.00
- Standard Deviation: 1.47

chlamev Overall chlamydia test of respondent

Location: 298-299 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Overall chlamydia test of respondent

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1521	1.8 %
-8	No test	82966	96.6 %
0	Neg	9	0.0 %
1	Pos	1394	1.6 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -7.87
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 1.15

chlamev1 Overall chlamydia test of person with id

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

Question: Overall chlamydia test of person with id1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1521	1.8 %
-8	No test	82964	96.6 %
0	Neg	9	0.0 %
1	Pos	1394	1.6 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -7.87
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 1.15

chlamev2 Overall chlamydia test of person with id

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

Question: Overall chlamydia test of person with id2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-8	No test	78766	91.7 %

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Pos	1332	1.6 %
. (M)	-	64	0.1 %

Based upon 85826 valid cases out of 85890 total cases.

- Mean: -5.77
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.62

sypb2 **Syphilis result of person with id2**

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

Question: Syphilis result of person with id2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	13701	16.0 %
-8	No test	68156	79.4 %
0	Neg	3690	4.3 %
1	Pos	343	0.4 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -7.78
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 1.78

syphev **Overall syphilis test of respondent**

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

Question: Overall syphilis test of respondent

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	740	0.9 %
-8	No test	60754	70.7 %
0	Neg	22915	26.7 %
1	Pos	1481	1.7 %

- Study 22140 -

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -5.72
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.64

syphev1 Overall syphilis test of person with id1

Location: 312-313 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Overall syphilis test of person with id1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	798	0.9 %
-8	No test	60754	70.7 %
0	Neg	22856	26.6 %
1	Pos	1480	1.7 %
. (M)	-	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: -5.73
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.64

syphev2 Overall syphilis test of person with id2

Location: 314-315 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Overall syphilis test of person with id2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	13653	15.9 %
-8	No test	63124	73.5 %
0	Neg	4518	5.3 %
1	Pos	395	0.5 %
. (M)	-	4200	4.9 %

Based upon 81690 valid cases out of 85890 total cases.

- Study 22140 -

- Mean: -7.68
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 2.00

hiv HIV result of respondent

Location: 316-317 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: HIV result of respondent

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1042	1.2 %
-8	No test	44964	52.4 %
0	Neg	30698	35.7 %
1	Pos	9186	10.7 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -4.19
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 4.13

hiv1 HIV result of person with id1

Location: 318-319 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: HIV result of person with id1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1042	1.2 %
-8	No test	44964	52.4 %
0	Neg	30637	35.7 %
1	Pos	9183	10.7 %
. (M)	-	64	0.1 %

Based upon 85826 valid cases out of 85890 total cases.

- Mean: -4.19
- Median: -8.00
- Mode: -8.00

- Study 22140 -

- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 4.13

hiv2 HIV result of person with id2

Location: 320-321 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: HIV result of person with id2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	154	0.2 %
-8	No test	78550	91.5 %
0	Neg	6190	7.2 %
1	Pos	996	1.2 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -7.32
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 2.26

hbv Hepatitis result of respondent

Location: 322-323 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Hepatitis result of respondent

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	16508	19.2 %
-8	No test	65323	76.1 %
0	Neg	1047	1.2 %
1	Pos	3012	3.5 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -7.78
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 1.94

hbv1 Hepatitis result of person with id1

- Study 22140 -

Location: 324-325 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Hepatitis result of person with id1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	16444	19.1 %
-8	No test	65323	76.1 %
0	Neg	1047	1.2 %
1	Pos	3012	3.5 %
. (M)	-	64	0.1 %

Based upon 85826 valid cases out of 85890 total cases.

- Mean: -7.78
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 1.94

hbv2 Hepatitis result of person with id2

Location: 326-327 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Hepatitis result of person with id2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	71	0.1 %
-8	No test	69408	80.8 %
0	Neg	14894	17.3 %
1	Pos	1517	1.8 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.45
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 3.18

gonohx Self-reported gonorrhea history of respo

Location: 328-329 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Self-reported gonorrhea history of respondent

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	80	0.1 %
-8	Not asked	64376	75.0 %
0	Neg Hx	20014	23.3 %
1	Pos Hx	1351	1.6 %
9	9:Undefined Code	6	0.0 %
. (M)	-	63	0.1 %

Based upon 85827 valid cases out of 85890 total cases.

- Mean: -5.99
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 9.00
- Standard Deviation: 3.49

gonohx1 Self-reported gonorrhea history of perso

Location: 330-331 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Self-reported gonorrhea history of person with id1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	80	0.1 %
-8	Not asked	64312	74.9 %
0	Neg Hx	20014	23.3 %
1	Pos Hx	1351	1.6 %
9	9:Undefined Code	6	0.0 %
. (M)	-	127	0.1 %

Based upon 85763 valid cases out of 85890 total cases.

- Mean: -5.99
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 9.00
- Standard Deviation: 3.49

gonohx2 Self-reported gonorrhea history of perso

Location: 332-333 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Self-reported gonorrhea history of person with id2

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	78	0.1 %
-8	Not asked	82740	96.3 %
0	Neg Hx	2756	3.2 %
1	Pos Hx	316	0.4 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -7.71
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 1.51

chlamhx Self-reported chlamydia history of respo

Location: 334-336 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Self-reported chlamydia history of respondent

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	87	0.1 %
-8	Not asked	68487	79.7 %
-6	Don't know	74	0.1 %
0	Neg Hx	16392	19.1 %
1	Pos Hx	761	0.9 %
9	9:Undefined Code	17	0.0 %
97	97:Undefined Code	14	0.0 %
. (M)	-	58	0.1 %

Based upon 85832 valid cases out of 85890 total cases.

- Mean: -6.37
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 97.00
- Standard Deviation: 3.49

chlamhx1 Self-reported chlamydia history of perso

Location: 337-339 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Self-reported chlamydia history of person with id1

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	87	0.1 %
-8	Not asked	68423	79.7 %
-6	Don't know	74	0.1 %
0	Neg Hx	16392	19.1 %
1	Pos Hx	761	0.9 %
9	9:Undefined Code	17	0.0 %
97	97:Undefined Code	14	0.0 %
. (M)	-	122	0.1 %

Based upon 85768 valid cases out of 85890 total cases.

- Mean: -6.37
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 97.00
- Standard Deviation: 3.49

chlamhx2 Self-reported chlamydia history of perso

Location: 340-342 (width: 3; decimal: 0)
 Variable Type: numeric
 Question: Self-reported chlamydia history of person with id2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	78	0.1 %
-8	Not asked	82880	96.5 %
0	Neg Hx	2753	3.2 %
1	Pos Hx	172	0.2 %
97	97:Undefined Code	7	0.0 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -7.72
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 97.00
- Standard Deviation: 1.74

syphhx Self-reported syphilis history of respon

Location: 343-344 (width: 2; decimal: 0)
 Variable Type: numeric

- Study 22140 -

Question:

Self-reported syphilis history of respondent

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	16312	19.0 %
-8	Not asked	33427	38.9 %
0	Neg Hx	31472	36.6 %
1	Pos Hx	4634	5.4 %
9	9:Undefined Code	10	0.0 %
. (M)	-	35	0.0 %

Based upon 85855 valid cases out of 85890 total cases.

- Mean: -4.77
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 9.00
- Standard Deviation: 4.20

syphhx1

Self-reported syphilis history of person

Location:

345-346 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Self-reported syphilis history of person with id1

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	16248	18.9 %
-8	Not asked	33427	38.9 %
0	Neg Hx	31472	36.6 %
1	Pos Hx	4634	5.4 %
9	9:Undefined Code	10	0.0 %
. (M)	-	99	0.1 %

Based upon 85791 valid cases out of 85890 total cases.

- Mean: -4.77
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 9.00
- Standard Deviation: 4.20

syphhx2

Self-reported syphilis history of person

Location:

347-348 (width: 2; decimal: 0)

Variable Type:

numeric

- Study 22140 -

Question:

Self-reported syphilis history of person with id2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1899	2.2 %
-8	Not asked	80235	93.4 %
0	Neg Hx	3274	3.8 %
1	Pos Hx	482	0.6 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -7.67
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 1.67

hivhx

Self-reported HIV history of respondent

Location:

349-350 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Self-reported HIV history of respondent

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	9577	11.2 %
-8	Not asked	32151	37.4 %
-6	Don't know	5076	5.9 %
0	Neg Hx	30345	35.3 %
1	Pos Hx	8696	10.1 %
. (M)	-	45	0.1 %

Based upon 85845 valid cases out of 85890 total cases.

- Mean: -4.25
- Median: -6.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 4.14

hivhx1

Self-reported HIV history of person with

Location:

351-352 (width: 2; decimal: 0)

Variable Type:

numeric

Question:

Self-reported HIV history of person with id1

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	9503	11.1 %
-8	Not asked	32151	37.4 %
-6	Don't know	5076	5.9 %
0	Neg Hx	30356	35.3 %
1	Pos Hx	8695	10.1 %
. (M)	-	109	0.1 %

Based upon 85781 valid cases out of 85890 total cases.

- Mean: -4.25
- Median: -6.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 4.14

hivhx2 Self-reported HIV history of person with

Location: 353-354 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Self-reported HIV history of person with id2

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1065	1.2 %
-8	Not asked	82939	96.6 %
-6	Don't know	244	0.3 %
0	Neg Hx	1353	1.6 %
1	Pos Hx	289	0.3 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -7.85
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 1.00
- Standard Deviation: 1.13

freq Frequency of contact between person with

Location: 355-356 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Frequency of contact between person with id1 and person with id2

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	1350	1.6 %
-8	Not asked	69999	81.5 %
0	0:Undefined Code	2178	2.5 %
1	1-2 times	3299	3.8 %
2	Few times	4140	4.8 %
3	Steady	4845	5.6 %
8	8:Undefined Code	78	0.1 %
9	9:Undefined Code	1	0.0 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.35
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 9.00
- Standard Deviation: 3.73

chain

Unique identifier given to sampling chain

Location:

357-359 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Unique identifier given to sampling chain in chain-link studies

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	OOD	2924	3.4 %
-8	-8:Undefined Code	73116	85.1 %
1	-	1365	1.6 %
2	-	968	1.1 %
3	-	500	0.6 %
4	-	1271	1.5 %
5	-	1797	2.1 %
6	-	56	0.1 %
7	-	214	0.2 %
11	-	503	0.6 %
21	-	62	0.1 %
26	-	26	0.0 %
32	-	920	1.1 %
36	-	48	0.1 %
39	-	667	0.8 %
40	-	1059	1.2 %
55	-	328	0.4 %

- Study 22140 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
56	-	25	0.0 %
67	-	1	0.0 %
. (M)	-	40	0.0 %

Based upon 85850 valid cases out of 85890 total cases.

- Mean: -5.40
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 67.00
- Standard Deviation: 9.28

net_type	Unique identifier given to sampling chain
-----------------	--

Location: 360-361 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Unique identifier given to sampling chain in chain-link studies

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
-9	Out-of-design	2924	3.4 %
-8	-8:Undefined Code	73116	85.1 %
2	Chain link	4588	5.3 %
3	Random walk	5262	6.1 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: -6.83
- Median: -8.00
- Mode: -8.00
- Minimum: -9.00
- Maximum: 3.00
- Standard Deviation: 3.38

linenum1	Order of elicitation (line number where
-----------------	--

Location: 362-363 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Order of elicitation (line number where this information is recorded) for person with id1

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	85813	99.9 %
1	4	0.0 %
2	13	0.0 %

- Study 22140 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
3	4	0.0 %
4	8	0.0 %
5	8	0.0 %
6	9	0.0 %
7	7	0.0 %
8	8	0.0 %
9	5	0.0 %
13	1	0.0 %
20	5	0.0 %
23	1	0.0 %
27	1	0.0 %
32	3	0.0 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 32.00
- Standard Deviation: 0.31

linenum2	Order of elicitation (line number where
-----------------	--

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

Question: Order of elicitation (line number where this information is recorded) for person with id2

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	77	0.1 %
1	14812	17.2 %
2	11703	13.6 %
3	10162	11.8 %
4	8910	10.4 %
5	7844	9.1 %
6	6668	7.8 %
7	5499	6.4 %
8	4401	5.1 %
9	3604	4.2 %
10	2785	3.2 %
11	2067	2.4 %
12	1607	1.9 %

- Study 22140 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	1243	1.4 %
14	965	1.1 %
15	718	0.8 %
16	577	0.7 %
17	382	0.4 %
18	317	0.4 %
19	257	0.3 %
20	212	0.2 %
21	123	0.1 %
22	110	0.1 %
23	93	0.1 %
24	80	0.1 %
25	68	0.1 %
26	73	0.1 %
27	62	0.1 %
28	44	0.1 %
29	51	0.1 %
30	48	0.1 %
31	27	0.0 %
32	24	0.0 %
33	19	0.0 %
34	25	0.0 %
35	21	0.0 %
36	24	0.0 %
37	16	0.0 %
38	12	0.0 %
39	10	0.0 %
40	8	0.0 %
41	7	0.0 %
42	6	0.0 %
43	6	0.0 %
44	10	0.0 %
45	7	0.0 %
46	6	0.0 %
47	7	0.0 %
48	5	0.0 %
49	7	0.0 %
50	7	0.0 %
51	4	0.0 %
52	4	0.0 %

- Study 22140 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
53	7	0.0 %
54	5	0.0 %
55	2	0.0 %
56	2	0.0 %
57	2	0.0 %
58	3	0.0 %
59	2	0.0 %
60	1	0.0 %
61	2	0.0 %
62	2	0.0 %
63	2	0.0 %
64	2	0.0 %
65	2	0.0 %
66	2	0.0 %
67	2	0.0 %
68	1	0.0 %
69	1	0.0 %
70	1	0.0 %
71	1	0.0 %
72	1	0.0 %
73	1	0.0 %
74	1	0.0 %
75	1	0.0 %
76	1	0.0 %
77	2	0.0 %
78	2	0.0 %
79	1	0.0 %
80	1	0.0 %
81	1	0.0 %
82	1	0.0 %
83	2	0.0 %
84	2	0.0 %
. (M)	7	0.0 %

Based upon 85883 valid cases out of 85890 total cases.

- Mean: 5.39
- Median: 4.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 84.00

- Study 22140 -

- Standard Deviation: 4.88

reltype **Top ten recorded relationship of alter to ego**

Location: 366-380 (width: 15; decimal: 0)
 Variable Type: character
 Question: Relationship of alter to ego
 Based upon 85890 valid cases out of 85890 total cases.

occ2 **Occupation of person with id2**

Location: 381-410 (width: 30; decimal: 0)
 Variable Type: character
 Question: Occupation of person with id2

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	2468	2.9 %
Masked	83422	97.1 %

Based upon 85890 valid cases out of 85890 total cases.

occloc2 **Location of occupation for person with i**

Location: 411-440 (width: 30; decimal: 0)
 Variable Type: character
 Question: Location of occupation for person with id2

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
	11300	13.2 %
Masked	74590	86.8 %

Based upon 85890 valid cases out of 85890 total cases.

frstyr2 **Study Year that the person with id2 first**

Location: 441-441 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Study Year that the person with id2 first appears in the dataset

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	41563	48.4 %
2	25506	29.7 %
3	15176	17.7 %
4	3008	3.5 %
5	637	0.7 %

Based upon 85890 valid cases out of 85890 total cases.

- Study 22140 -

- Mean: 1.79
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.91

sources2 **Number of unique individuals that named**

Location: 442-443 (width: 2; decimal: 0)

Variable Type: numeric

Question: Number of unique individuals that named person with id2

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	71024	82.7 %
2	6273	7.3 %
3	2675	3.1 %
4	1603	1.9 %
5	814	0.9 %
6	788	0.9 %
7	695	0.8 %
8	328	0.4 %
9	210	0.2 %
10	205	0.2 %
11	35	0.0 %
12	258	0.3 %
13	119	0.1 %
14	196	0.2 %
15	28	0.0 %
16	34	0.0 %
17	135	0.2 %
18	32	0.0 %
19	73	0.1 %
20	38	0.0 %
21	41	0.0 %
27	46	0.1 %
28	105	0.1 %
31	60	0.1 %
36	75	0.1 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 1.65
- Median: 1.00

- Study 22140 -

- Mode: 1.00
- Minimum: 1.00
- Maximum: 36.00
- Standard Deviation: 2.53

backfil2 **ndicates whether demographic information**

Location: 444-444 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Indicates whether demographic information on the person with id2 was backfilled with more accurate information from respondent self-report

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	Not backfilled	25249	29.4 %
1	Backfilled	60641	70.6 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 0.71
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

occ1 **Occupation of person with id1**

Location: 445-474 (width: 30; decimal: 0)
 Variable Type: character
 Question: Occupation of person with id1
 Based upon 85890 valid cases out of 85890 total cases.

occloc1 **Location of occupation for person with i**

Location: 475-504 (width: 30; decimal: 0)
 Variable Type: character
 Question: Location of occupation for person with id1
 Based upon 85890 valid cases out of 85890 total cases.

frstyr1 **Study Year that the person with id1 firs**

Location: 505-505 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Study Year that the person with id1 first appears in the dataset

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	53826	62.7 %

- Study 22140 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	25747	30.0 %
3	5398	6.3 %
4	906	1.1 %
5	11	0.0 %
. (M)	2	0.0 %

Based upon 85888 valid cases out of 85890 total cases.

- Mean: 1.46
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.66

sources1 **Number of unique individuals that named**

Location: 506-507 (width: 2; decimal: 0)

Variable Type: numeric

Question: Number of unique individuals that named the person with id1

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	48743	56.8 %
1	15156	17.6 %
2	7129	8.3 %
3	4668	5.4 %
4	3021	3.5 %
5	1711	2.0 %
6	1220	1.4 %
7	1215	1.4 %
8	477	0.6 %
9	364	0.4 %
10	536	0.6 %
11	26	0.0 %
12	491	0.6 %
13	162	0.2 %
14	456	0.5 %
15	21	0.0 %
16	71	0.1 %
17	122	0.1 %
18	22	0.0 %
19	54	0.1 %

- Study 22140 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
20	98	0.1 %
21	12	0.0 %
27	39	0.0 %
28	41	0.0 %
31	15	0.0 %
36	20	0.0 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 1.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36.00
- Standard Deviation: 2.76

backfil1 **indicates whether demographic information**

Location: 508-508 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Indicates whether demographic information on the person with id1 was backfilled with more accurate information from respondent self-report

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Backfilled	85890	100.0 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

occ **Occupation of respondent**

Location: 509-538 (width: 30; decimal: 0)
 Variable Type: character
 Question: Occupation of respondent
 Based upon 85890 valid cases out of 85890 total cases.

occloc **Location of occupation for respondent**

Location: 539-568 (width: 30; decimal: 0)

- Study 22140 -

Variable Type: character
 Question: Location of occupation for respondent
 Based upon 85890 valid cases out of 85890 total cases.

frstyr Study Year that the respondent first app

Location: 569-569 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Study Year that the respondent first appears in the dataset

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	53836	62.7 %
2	25762	30.0 %
3	5389	6.3 %
4	903	1.1 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 1.46
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.66

sources Number of unique individuals that named

Location: 570-571 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Number of unique individuals that named the respondent

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	48774	56.8 %
1	15113	17.6 %
2	7131	8.3 %
3	4661	5.4 %
4	3046	3.5 %
5	1708	2.0 %
6	1219	1.4 %
7	1215	1.4 %
8	477	0.6 %
9	364	0.4 %
10	532	0.6 %
11	26	0.0 %
12	491	0.6 %

- Study 22140 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
13	162	0.2 %
14	456	0.5 %
15	21	0.0 %
16	71	0.1 %
17	122	0.1 %
18	22	0.0 %
19	54	0.1 %
20	98	0.1 %
21	12	0.0 %
27	39	0.0 %
28	41	0.0 %
31	15	0.0 %
36	20	0.0 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 1.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36.00
- Standard Deviation: 2.76

studynum	Study Number
-----------------	---------------------

Location: 572-572 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Study Number

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	CoSprings Project90	16508	19.2 %
2	Bushwick SFHR	5570	6.5 %
3	Atlanta Urban	7501	8.7 %
4	Flagstaff Rural	2349	2.7 %
5	Atlanta Antiviral	5592	6.5 %
6	Houston	3950	4.6 %
7	Baltimore SHIELD	41496	48.3 %
8	Manitoba	2924	3.4 %

Based upon 85890 valid cases out of 85890 total cases.

- Mean: 4.95
- Median: 7.00

- Study 22140 -

- Mode: 7.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.51

job	Year of birth
------------	----------------------

Location: 573-576 (width: 4; decimal: 0)

Variable Type: numeric

Question: Year of birth

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1900	4342	5.1 %
1901	28	0.0 %
1914	36	0.0 %
1915	19	0.0 %
1916	7	0.0 %
1925	24	0.0 %
1926	6	0.0 %
1927	12	0.0 %
1928	6	0.0 %
1929	69	0.1 %
1931	8	0.0 %
1932	35	0.0 %
1933	117	0.1 %
1934	108	0.1 %
1935	61	0.1 %
1936	69	0.1 %
1937	65	0.1 %
1938	225	0.3 %
1939	166	0.2 %
1940	259	0.3 %
1941	195	0.2 %
1942	303	0.4 %
1943	352	0.4 %
1944	512	0.6 %
1945	547	0.6 %
1946	877	1.0 %
1947	1008	1.2 %
1948	1282	1.5 %
1949	1932	2.2 %
1950	2420	2.8 %
1951	2286	2.7 %

- Study 22140 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1952	3402	4.0 %
1953	3064	3.6 %
1954	3538	4.1 %
1955	4010	4.7 %
1956	4042	4.7 %
1957	4253	5.0 %
1958	3811	4.4 %
1959	4132	4.8 %
1960	4148	4.8 %
1961	4264	5.0 %
1962	3655	4.3 %
1963	4064	4.7 %
1964	3128	3.6 %
1965	2844	3.3 %
1966	3292	3.8 %
1967	2070	2.4 %
1968	2369	2.8 %
1969	1849	2.2 %
1970	1242	1.4 %
1971	935	1.1 %
1972	1129	1.3 %
1973	541	0.6 %
1974	958	1.1 %
1975	495	0.6 %
1976	297	0.3 %
1977	333	0.4 %
1978	256	0.3 %
1979	217	0.3 %
1980	92	0.1 %
1981	40	0.0 %
1982	37	0.0 %
. (M)	7	0.0 %

Based upon 85883 valid cases out of 85890 total cases.

- Mean: 1955.85
- Median: 1958.00
- Mode: 1900.00
- Minimum: 1900.00
- Maximum: 1982.00
- Standard Deviation: 15.04

- Study 22140 -

yob1	id1 year of birth
-------------	--------------------------

Location: 577-580 (width: 4; decimal: 0)

Variable Type: numeric

Question: id1 year of birth

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1900	4342	5.1 %
1901	28	0.0 %
1914	36	0.0 %
1915	17	0.0 %
1916	7	0.0 %
1925	24	0.0 %
1926	6	0.0 %
1927	12	0.0 %
1928	6	0.0 %
1929	69	0.1 %
1931	10	0.0 %
1932	35	0.0 %
1933	117	0.1 %
1934	108	0.1 %
1935	61	0.1 %
1936	69	0.1 %
1937	65	0.1 %
1938	225	0.3 %
1939	166	0.2 %
1940	262	0.3 %
1941	195	0.2 %
1942	303	0.4 %
1943	352	0.4 %
1944	512	0.6 %
1945	547	0.6 %
1946	877	1.0 %
1947	1008	1.2 %
1948	1283	1.5 %
1949	1934	2.3 %
1950	2420	2.8 %
1951	2287	2.7 %
1952	3406	4.0 %
1953	3074	3.6 %
1954	3538	4.1 %
1955	3983	4.6 %

- Study 22140 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1956	4041	4.7 %
1957	4256	5.0 %
1958	3802	4.4 %
1959	4133	4.8 %
1960	4151	4.8 %
1961	4261	5.0 %
1962	3652	4.3 %
1963	4066	4.7 %
1964	3132	3.6 %
1965	2844	3.3 %
1966	3293	3.8 %
1967	2070	2.4 %
1968	2376	2.8 %
1969	1850	2.2 %
1970	1240	1.4 %
1971	924	1.1 %
1972	1133	1.3 %
1973	548	0.6 %
1974	957	1.1 %
1975	495	0.6 %
1976	297	0.3 %
1977	334	0.4 %
1978	256	0.3 %
1979	217	0.3 %
1980	92	0.1 %
1981	40	0.0 %
1982	37	0.0 %
. (M)	9	0.0 %

Based upon 85881 valid cases out of 85890 total cases.

- Mean: 1955.85
- Median: 1958.00
- Mode: 1900.00
- Minimum: 1900.00
- Maximum: 1982.00
- Standard Deviation: 15.04

yob2	id2 year of birth
-------------	--------------------------

Location: 581-584 (width: 4; decimal: 0)

Variable Type: numeric

- Study 22140 -

Question:

id2 year of birth

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1900	1518	1.8 %
1903	6	0.0 %
1904	6	0.0 %
1907	7	0.0 %
1908	12	0.0 %
1909	10	0.0 %
1910	11	0.0 %
1911	25	0.0 %
1912	16	0.0 %
1913	17	0.0 %
1914	117	0.1 %
1915	38	0.0 %
1916	47	0.1 %
1917	67	0.1 %
1918	61	0.1 %
1919	81	0.1 %
1920	84	0.1 %
1921	99	0.1 %
1922	137	0.2 %
1923	130	0.2 %
1924	182	0.2 %
1925	174	0.2 %
1926	167	0.2 %
1927	168	0.2 %
1928	214	0.2 %
1929	201	0.2 %
1930	211	0.2 %
1931	243	0.3 %
1932	306	0.4 %
1933	345	0.4 %
1934	304	0.4 %
1935	351	0.4 %
1936	359	0.4 %
1937	380	0.4 %
1938	438	0.5 %
1939	397	0.5 %
1940	469	0.5 %
1941	527	0.6 %
1942	701	0.8 %

- Study 22140 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1943	705	0.8 %
1944	719	0.8 %
1945	906	1.1 %
1946	1006	1.2 %
1947	1415	1.6 %
1948	1516	1.8 %
1949	1823	2.1 %
1950	1932	2.2 %
1951	2141	2.5 %
1952	2552	3.0 %
1953	2552	3.0 %
1954	2506	2.9 %
1955	3187	3.7 %
1956	3188	3.7 %
1957	3398	4.0 %
1958	3359	3.9 %
1959	3309	3.9 %
1960	3486	4.1 %
1961	3345	3.9 %
1962	3473	4.0 %
1963	3048	3.5 %
1964	2824	3.3 %
1965	2437	2.8 %
1966	2500	2.9 %
1967	2103	2.4 %
1968	2168	2.5 %
1969	1886	2.2 %
1970	1592	1.9 %
1971	1413	1.6 %
1972	1388	1.6 %
1973	1003	1.2 %
1974	868	1.0 %
1975	805	0.9 %
1976	659	0.8 %
1977	714	0.8 %
1978	613	0.7 %
1979	589	0.7 %
1980	462	0.5 %
1981	368	0.4 %
1982	309	0.4 %

- Study 22140 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1983	295	0.3 %
1984	258	0.3 %
1985	252	0.3 %
1986	211	0.2 %
1987	260	0.3 %
1988	194	0.2 %
1989	248	0.3 %
1990	242	0.3 %
1991	206	0.2 %
1992	180	0.2 %
1993	154	0.2 %
1994	130	0.2 %
1995	135	0.2 %
1996	107	0.1 %
1997	86	0.1 %
1998	20	0.0 %
1999	9	0.0 %
. (M)	10	0.0 %

Based upon 85880 valid cases out of 85890 total cases.

- Mean: 1957.84
- Median: 1959.00
- Mode: 1960.00
- Minimum: 1900.00
- Maximum: 1999.00
- Standard Deviation: 14.73